

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3527	709/244.ccls. 709/224.ccls. 709/217.ccls	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:36
S2	661	remote\$3 near2 (data adj process\$5 adj system)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:19
S3	2272264	(data or file or document) receiver and remote adj software adj module\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:21
S4	661	S2 and S3	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:22
S7	14	(fault or error) adj detector and (feedback adj generat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:26
S9	1453	(feedback adj generat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:28
S11	24	status adj reporter	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:27
S13	124	S2 and ((management adj system) or (monitor\$5 adj system))	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:32
S15	53	S13 and identifier\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/10 14:33
S16	1	"5237677".pn.	USPAT	OR	OFF	2004/11/10 15:04
S17	5	feedback adj generat\$5 and remote\$3 adj software	US-PGPUB; USPAT	OR	OFF	2004/11/12 11:19
S18	5	(feedback adj generat\$5) and (remote\$3 adj software)	US-PGPUB; USPAT	OR	OFF	2004/11/12 11:19
S19	1451	(feedback adj generat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 11:20
S20	2	S19 and (remote\$3 adj data adj process\$5)	USPAT	OR	OFF	2004/11/12 11:45
S21	5	S19 and status adj code	USPAT	OR	OFF	2004/11/12 11:45
S22	1	((fault adj detector) near3 identif\$4) and (first adj stage or second adj stage)	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:12
S23	31	((fault adj detector) near3 identif\$4)	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:17

EAST Search History

S24	1	((fault adj detector) near3 identif\$4) and software adj component	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:13
S25	11	(fault adj detector) and software adj component	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:15
S26	234	(fault adj detector) and stages	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:53
S27	3533	709/244.ccls. 709/224.ccls. 709/217.ccls	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:15
S28	2	S26 and S27	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:15
S29	5	S23 and output and faulty	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:18
S30	9229	fault\$3 near3 detect\$4 and software	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:20
S31	26	(fault\$3 near3 detect\$4) same (software adj component)	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:36
S32	2	(fault\$3 near3 detect\$4) same (software adj stage)	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:36
S33	14	(fault or error) adj detector and (feedback adj generat\$3)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:36
S34	2	(fault adj detector) and software adj stage\$2	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:54
S35	1383	(fault adj detector) and (input and output)	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:54
S36	1	(fault adj detector) and logical adj path	US-PGPUB; USPAT	OR	OFF	2004/11/12 12:56
S37	1	(fault adj detector) and logical adj path	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:56
S38	16783	(fault near3 detect\$5) and data	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:58
S39	10909	S38 and input and output	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:57
S40	1968026	S39 and logical connection\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:57
S41	378	(fault near3 detect\$5) and data adj message	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:58

EAST Search History

S42	387204	S41 and component\$2 or module\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:59
S43	303	S41 and component\$2	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 12:59
S44	25	S43 and fault\$3 near3 software	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 13:43
S45	11	fault near3 detect\$5 same data adj message	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2004/11/12 14:42
S46	1	"5740354".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:43
S47	1	"5938732".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:44
S48	1	"6351824".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:46
S49	1	"6145001".pn.	US-PGPUB; USPAT	OR	OFF	2004/11/12 14:47
S50	68586	(fault or error) adj2 detect\$2	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:55
S51	497	S50 and (data or message) near3 (flow\$1 or pass\$3) with software	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:49
S52	11508	detect\$3 with (data or message) with flow\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 17:58
S53	35	S51 and S52	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:42

EAST Search History

S54	52772	fault with detect\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:43
S55	475442	detect with fault with remote software	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:43
S56	1	detect with fault with (remote adj software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:44
S57	15	detect\$3 with flow with(data adj message)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/14 18:45
S58	711	remote\$3 near2 (data adj process\$5 adj system)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:36
S59	2	S58 and fault adj detector	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:42
S60	3864	709/244.ccls. 709/224.ccls. 709/217.ccls	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:42
S61	5	S60 and fault adj detector	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:44
S62	2752	fault adj detector	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:44
S63	38	S62 and (data or message) with (pass\$3 or flow\$3) with module\$1	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/03/15 10:49
S64	29	identify\$3 with ((bad or fault\$2 or deficient) adj2 software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 12:58

EAST Search History

S65	2	"5938732".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:01
S66	2	"6125390".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:06
S67	2	"5961596".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:08
S68	2	"5964839".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:09
S69	2	"6055493".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:12
S70	979	(block\$1 or disrupt\$1) adj2 (data adj2 flow)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:13
S71	0	S70 and identify\$3 adj2 ((bad or fault\$2) adj2 software)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:14
S72	0	S70 and identify\$3 adj2 ((bad or fault\$2) adj2 (software or module))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:15

EAST Search History

S73	0	S70 and fault\$3 adj2 detector	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 13:15
S74	161	S70 and fault\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:15
S75	0	(generalized adj cube).ti.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 14:20
S76	74	identify\$3 with fault\$2 with stage	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:03
S77	0	determin\$3 with provid\$3 with (logical adj data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:05
S78	0	provid\$3 with (logical adj data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:04
S79	95	(logical adj data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:04
S80	69	determin\$3 with provid\$3 with (data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:13

EAST Search History

S81	2	"4908819".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:15
S82	0	software adj module with (provid\$3 adj2 (data adj path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 15:15
S83	22	remote adj software adj module	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:34
S84	0	check\$3 with ((end adj2 end) adj2 continuity with communication\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:44
S85	0	determin\$3 with software with (provide\$3 adj2 (data adj path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:45
S86	0	software with (provide\$3 adj2 (data adj path))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/03/15 17:45
S87	0	output\$3 with (status adj code) and (provide with path)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:30
S88	220	output\$3 with (status adj code)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:56
S89	1	S88 and detect\$3 with ((bad or deficient) adj2 software)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:31
S90	0	S88 and detect\$3 with ((bad or deficient) adj2 module)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:31

EAST Search History

S91	0	output\$3 with (status adj code) and provide with (logic\$3 adj2 path)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:56
S92	0	provide with (logic\$3 adj2 path)	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:57
S93	3841	detect adj fault	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:57
S94	52	(detect adj fault) with software	US-PGPUB; USPAT; EPO; JPO	OR	OFF	2005/04/07 10:58
S95	653	remote adj software	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:47
S96	5	remote adj software and remote adj data adj system	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:47
S97	5	remote adj software and (remote adj data adj system)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:48
S98	71	remote adj software and (data adj processing adj system)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:57
S99	392	remote adj data adj processing adj system	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 15:58
S10 0	37	S99 and software adj module\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:39

EAST Search History

S10 1	5	"09151270"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:43
S10 2	2	"6772419".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/07 16:43
S10 3	1555	transmit\$3 with (status adj (message\$1 or code\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:54
S10 4	359	S103 and receiv\$3 adj2 (status adj (message\$1 or code\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 14:54
S10 5	5	S104 and input\$3 adj2 (status adj (message\$1 or code\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 15:30
S10 6	80	S104 and feedback	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 16:55
S10 7	11	(pass\$3 or transmit\$3 or send\$3) adj2 (status adj (code\$1 or message\$1)) with (communication adj network)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:01
S10 8	2359	(communication adj network) adj2 operat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:02

EAST Search History

S109	27	S108 and (pass\$3 or send\$3 or transmit\$3) with (status adj (code or message))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:31
S110	1	(stor\$3 adj2 (status adj code)) with dummy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:32
S111	1	stor\$3 with (dummy adj transaction) with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:33
S112	2	(dummy adj transaction) with database	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 17:33
S113	5	tapping adj2 (data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 19:09
S114	0	tapping adj2 (logic adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 19:09
S115	11	tapping with (data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 19:11
S116	57	tap\$4 near2 (data adj path)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 19:11

EAST Search History

S11 7	2	("20020103900").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:08
S11 8	43042	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:11
S11 9	2	S118 and (tap\$3 with ((logical or physical) adj2 path\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:21
S12 0	0	S118 and (ping with detect with fault\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:14
S12 1	8	(ping with detect with fault\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:14
S12 2	28	(tap\$3 with ((logical or physical) adj2 path\$1))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:27
S12 3	2	S122 and ((detect\$3 or determin\$3) with fault\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:23
S12 4	3	ping with remote with software with response	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:27

EAST Search History

S12 5	4475	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:28
S12 6	0	S125 and (ping with (response or reply) with fault)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:28
S12 7	118	S125 and (ping with (response or reply))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:38
S12 8	18	S127 and ((detect\$3 or determin\$3) with fault)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:29
S12 9	4475	709/223.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:39
S13 0	33	S129 and ((send\$3 or transmit\$3) with heartbeat with message\$1)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:43
S13 1	4	S130 and detect\$2 near\$3 fault\$1	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 14:39
S13 2	2	("20020103900").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:55

EAST Search History

S13 3	2	("5621892").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 17:40
S13 4	2	("20050055322").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 17:41
S13 5	2	("6882653").PN.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 17:41